

RAMPF®
SINCE 1926



CONCRETE STONE

CATALOGUE

Decorative Pavers & Slabs
Interlocking Pavers
Eco-Blocks & Grass Pavers
Landscaping Products
Kerbstones
Masonry Blocks





TABLE OF CONTENTS

Ideas Moulds Stones	4
Decorative Pavers & Slabs	8
Interlocking Pavers	38
Eco-Blocks & Grass Pavers	46
Landscaping Products	52
Kerbstones	60
Masonry Blocks	66

IDEAS MOULDS STONES

IDEAS MOULDS STONES

For decades, RAMPF has been one of the leading manufacturers of steel moulds for the concrete block industry. Whether it is paving stones, slabs, masonry blocks, kerbstones, eco-blocks or elements for landscaping, we design and build the right mould for each stone. Our highly qualified teams continuously work to refine and develop new technical solutions for concrete block moulds. In close cooperation with our customers, we also develop high-tech solutions

for special challenges in stone production. Our expertise and decades of experience make us a renowned, reliable partner. RAMPF moulds are being used successfully around the world. As an international group of companies headquartered in Germany, RAMPF also has facilities in the USA, Canada, France, Netherlands, Poland and Hungary. We employ around 550 people worldwide, and 220 at our company headquarters in Allmendingen, Germany, alone.

YOUR STONE. YOUR MOULD.

RAMPF doesn't build you just any mould. We design and build exactly the moulding device you need for your stone. Precisely tailored to the technical requirements of the machines and materials you use. Whether milled, welded, bolted or studded. Whether case-hardened or nitrided – with or

without add-on equipment, such as heated tamper shoes, filling equalizer or tamper head centering system. We bring shape to your stone. For economical production of premium concrete blocks.



RAMPF. THE MOULD.



PRIME-TEC
Paving stones

Paving stones come in almost all forms, sizes and colors. PRIME-Tec offers you the best mould for them. Technology proven over decades that has been continuously developed. For producing small to middle-sized paving stones (mould height to 178 mm).



DURO-TEC
Slabs

Large size slabs with demanding surfaces represent a special challenge for design and production. DURO-Tec is up to this challenge. With extreme dimensional accuracy and consistently high quality. For dimensionally precise large size slabs and paving stones (stone size up to 400 x 400 mm).



QUICK-TEC
Kerbstones

Thanks to patented guiding chamfer and easy replaceability of all wear parts, QUICK-Tec ensures efficient, high-quality production of curbstones. It saves time and money, and considerably increases service life.



TOP-TEC
Masonry blocks & landscaping


Precise dimensions and consistent strength are the focus of hollow block production. TOP-Tec offers both and is specially adapted to your stone production system.



GREEN-TEC
Eco-blocks & grass pavers

In contrast to sealed surfaces, eco-blocks and grass pavers promote the natural ecosystem by preserving natural water circulation. GREEN-Tec is RAMPF's innovative solution for this very purpose.

DECORATIVE PAVERS & SLABS



Paving stones and slabs define public space. They are found wherever communities or home owners want to reinforce their pathways and where emphasis is placed on high-end surfaces and walkways. We can offer you the optimum RAMPF moulds for this versatile selection of paving – your ideas determine the mould.

The versatile possibilities.

DECORATIVE PAVERS & SLABS

S.842.21.010



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.842.21.010	162.8 x 141	2.3	43.6

S.847.02.100



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.847.02.100	200 x 173.2	3.46	28.9

S.844.41.050



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.844.41.050	240 x 120	2.88	34.7

S.861.51.010



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.861.51.010	218 x 138	3.01	33.2

S.861.31.010



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.861.31.010	147 x 147	2.16	46.3

S.869.02.030



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.869.02.030	173.2 x 150	2.6	38.5

DECORATIVE PAVERS & SLABS

S.861.51.010



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.861.51.010	218 x 138	3.01	33.2

S.865.11.010



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.865.11.010	210 x 136	2.86	35

S.869.02.030



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.869.02.030	173.2 x 150	2.6	38.5



DECORATIVE PAVERS & SLABS

S.875.05.020



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.875.05.020	230 x 115	2.65	37.8

S.879.10.060



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.879.10.060	223.3 x 111.6	2.49	40.1

S.910.03.020



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.910.03.020	197.5 x 171	3.38	29.6

S.884.71.030



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.884.71.030	207.8 x 180	3.74	26.7

S.985.02.020



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.985.02.020	150 x 150	2.25	44.4

S.968.22.010

S.968.22.011



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.968.22.010	180 x 180	4.08	15.5
S.968.22.011	180 x 180	2.4	15.5

DECORATIVE PAVERS & SLABS

S.960.83.020



S.960.83.021



S.960.83.022



S.960.83.023



S.960.83.024



S.960.83.025



S.960.83.026



S.960.83.027



S.960.83.028



S.960.83.029



Technical Data	Module (mm)	Area (dm²)	Stones	Units/m²
S.960.83.020	133 x 133	1.8	5	Total ~ 1 m²
S.960.83.021	133 x 133	1.8	4	
S.960.83.022	166.25 x 133	2.2	4	
S.960.83.023	166.25 x 133	2.2	4	
S.960.83.024	199.5 x 133	2.65	3	
S.960.83.025	199.5 x 133	2.65	3	
S.960.83.026	232.75 x 133	3.1	4	
S.960.83.027	232.75 x 133	3.1	4	
S.960.83.028	266 x 133	3.5	3	
S.960.83.029	266 x 133	3.5	3	



S.965.06.630



S.965.06.631



S.965.06.632



S.965.06.633



S.965.06.634



S.965.06.635



Technical Data	Module (mm)	Area (dm²)	Stones	Units/m²
S.965.06.630	420 x 240	10.08	2	Total ~ 1.1 m²
S.965.06.631	330 x 240	7.92	2	
S.965.06.632	480 x 240	11.52	2	
S.965.06.633	300 x 210	6.3	2	
S.965.06.634	540 x 210	11.34	2	
S.965.06.635	390 x 210	8.19	2	





■ S.960.95.030



■ S.960.95.031



■ S.960.95.032



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.960.95.030	160 x 120	1.84	54
S.960.95.031	240 x 120	2.78	36
S.960.95.032	120 x 80	0.9	111

■ S.961.51.010




■ S.961.51.011



■ S.961.51.020




■ S.961.51.030




Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.961.51.010	275 x 165	4.54	22
S.961.51.011	495 x 275	13.6	7.4
S.961.51.020	275 x 220	6.05	16.5
S.961.51.030	330 x 275	9.08	11

DECORATIVE PAVERS & SLABS


■ S.992.30.740




■ S.992.30.741



■ S.992.30.742



■ S.992.30.743



■ S.992.30.744



■ S.992.30.745



■ S.992.30.746



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.992.30.740	300 x 188.3	3.6	Total ~ 1.01 m ²
S.992.30.741	300 x 188.3	3.6	
S.992.30.742	300 x 188.3	3.6	
S.992.30.743	300 x 188.3	3.6	
S.992.30.744	300 x 188.3	3.6	
S.992.30.745	150 x 188.3	1.74	
S.992.30.746	150 x 188.3	1.82	

■ S.831.32.010



■ S.831.32.020



■ S.831.32.030




Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.831.32.010	300 x 248.5	7.46	13.4
S.831.32.020	300 x 124.3	3.73	-
S.831.32.030	300 x 248.5	7.46	-



■ S.822.24.011



■ S.964.51.041



■ S.964.51.042



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.980.02.100	1000 x 1000	Ø 770	-
S.980.02.101	1000 x 1000	Ø 770	-
S.980.02.102	1000 x 1000	Ø 770	-



DECORATIVE PAVERS & SLABS

■ S.829.50.236



■ S.829.50.237



■ S.829.50.238



■ S.829.50.324



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.829.50.236	160 x 120	1.92	52.1
S.829.50.237	160 x -	1.87	-
S.829.50.238	160 x -	2.06	-
S.829.50.324	160 x -	2.1	-



■ S.962.30.050



■ S.962.30.051



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.962.30.050	250 x 120	3	16.7
S.962.30.051	250 x 120	3	16.7



■ S.961.51.010



■ S.961.51.010



■ S.961.51.010



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.980.00.010	115 x 115	1.32	75.6
S.980.00.012	115 x 91	1.05	-
S.980.00.013	86 x 83.8	0.72	-



■ S.964.51.040



■ S.964.51.041




■ S.964.51.042



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.964.51.040	-	7.27	4.1
S.964.51.041	-	8.81	4.1
S.964.51.042	-	8.43	4.1





■ S.844.05.010



■ S.844.05.020



■ S.844.05.060



■ S.844.05.070



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.844.05.010	200 x 200	3.32	25
S.844.05.020	141.4 x 141.4	2	50
S.844.05.060	82.8 x 82.8	0.69	145.8
S.844.05.070	141.4 x 117.2	1.66	60.3



DECORATIVE PAVERS & SLABS

S.822.24.011



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.822.24.011	210 x 70	1.47	68

S.830.37.162



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.847.72.010	230.9 x 88.9	2.05	48.8

S.830.37.162



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.830.37.162	200/100 x 200/100	2.6	38.5

S.830.37.160



S.830.37.161



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.830.37.160	200 x 200	4	25
S.830.37.161	400/200 x 100	3	33.3

S.830.37.163




Technical Data	Module (mm)	Area (dm²)	Units/m²
S.830.37.163	150 x 129.9	1.95	51.3

S.830.40.202



S.830.40.714



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.830.40.202	200 x 200	4	2.5
S.830.40.714	400 x 200/316	9	11.1

DECORATIVE PAVERS & SLABS

■ S.830.40.202




■ S.830.40.209



■ S.830.42.380



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.830.40.202	200 x 200	4	25
S.830.40.209	200/200 x 100	4.83	20.7
S.830.42.380	200/100 x 200/100	3	33.3






■ S.861.40.010



■ S.964.51.041



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.861.40.010	265 x 210	5.57	18
S.861.40.020	265 x 105	2.78	35.9



■ S.830.38.090



■ S.830.38.091



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.830.38.090	300 x 300	9	11.1
S.830.38.091	300 x 300	9	11.1



DECORATIVE PAVERS & SLABS

■ S.830.A0.135.SH60



■ S.830.A0.397.SH60



■ S.830.A0.291.SH60



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.830.A0.135.SH60	400 x 400	24	4.2
S.830.A0.397.SH60	800 x 400	21	3.1
S.830.A0.291.SH60	800 x 800	64	1.6





■ S.830.A0.045.SH60



■ S.830.A0.046.SH60



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.830.A0.045.SH60	600 x 300	18	5.6
S.830.A0.046.SH60	600 x 300	18	5.6



■ S830.39.301.SH48




Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.830.A0.045.SH60	600 x 400	24	4.2



DECORATIVE PAVERS & SLABS

S.691.01.370.SH60



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.691.01.370.SH60	1000 x 500	50	2

S.691.01.265.SH90



S.830.63.410.SH100



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.691.01.265.SH90	1000 x 1000	100	1
S.830.63.410.SH100	1000 x 1000	100	1



INTERLOCKING PAVERS




Interlocking paving or industrial paving must withstand heavy stresses. Double-T or fully composite paving systems stand out because of their robustness when reinforcing traffic zones in trade and industry, but also especially in municipalities. We can offer you the optimum RAMPF moulds for this versatile selection of paving – your ideas determine the mould.

For strong connections

INTERLOCKING PAVERS



■ S.810.02.544



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.810.02.544	225 x 168.75	3.8	26.3

■ S.837.00.010



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.837.00.010	178 x 164	2.92	34.3

■ S.963.52.010



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.963.52.010	250 x 195	4.87	20.5


INTERLOCKING PAVERS

S.884.04.030




Technical Data	Module (mm)	Area (dm²)	Units/m²
S.884.04.030	240 x 120	2.88	34.7

S.921.11.010



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.921.11.010	250 x 143.5	3.59	27.9

S.916.12.100



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.916.12.100	173.2 x 150	2.6	38.5



INTERLOCKING PAVERS

■ S.996.10.020



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.996.10.020	250 x 250	6.25	16

■ S.830.63.490

■ S.830.63.491



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.830.63.490	200 x 200	4	25
S.830.63.491	200 x 100	2	50

■ S.991.03.020

■ S.991.03.021



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.991.03.020	250 x 125	3.13	32
S.991.03.021	125 x 125	1.56	64

■ S.950.15.010

■ S.950.15.011

■ S.950.15.012




■ S.950.15.013



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.950.15.010	300 x 225	6.75	15
S.950.15.011	300 x 225	6.75	15
S.950.15.012	300 x 225	6.75	15
S.950.15.013	300 x 225	6.75	15



ECO-BLOCKS & GRASS PAVERS



Eco paving reinforces areas, such as house and garage entrances, market squares and car parks. In contrast to sealed surfaces, rain water can quickly drain away here. In addition, the paving contributes to the landscaping and design of traffic zones in private areas or municipalities. We can offer you the optimum RAMPF moulds for this versatile selection of paving – your ideas determine the mould.

Economical and ecological


ECO-BLOCKS & GRASS PAVERS

S.601.01.310



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.601.01.310	200 x 200	4	25

S.600.00.390



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.600.00.390	240 x 210	5.04	19.8

S.601.01.140



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.601.01.140	225 x 160	3.6	27.8

S.830.52.243



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.830.52.243	200 x 200	4	25

S.847.61.070



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.847.61.070	250 x 216.5	5.41	18.5

S.830.42.390



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.830.42.390	200 x 200	4	25

ECO-BLOCKS & GRASS PAVERS

■ S.829.34.090



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.829.34.090	140 x 140	1.96	51

■ S.601.10.540



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.601.10.540	600 x 400	24	4.2

■ S.961.50.430



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.961.50.430	240 x 240	5.76	17.4

■ S.826.64.010




■ S.826.64.011




Technical Data	Module (mm)	Area (dm²)	Units/m²
S.826.64.010	260 x 130	3.38	29.6
S.826.64.011	130 x 130	1.69	59.2




■ S.968.22.020



■ S.968.22.021



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.968.22.020	180 x 180	4.08	15.5
S.968.22.021	180 x 180	2.4	15.5



LANDSCAPING PRODUCTS



People's ideas of "beautiful" gardens are different and change very quickly. Our moulds for picket fence paving and kerbstones, slope reinforcement or plant containers in modern moulds and geometries cater for current trends.

We can offer you the optimum RAMPF moulds for this versatile selection of paving – your ideas determine the mould.

Inspiring garden design

LANDSCAPING PRODUCTS

■ S.055.13.860




■ S.055.13.861



■ S.055.13.862




■ S.055.13.790 1



■ S.055.13.790 2



■ S.055.13.791 1



■ S.055.13.791 2



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.055.13.860	265 x 250 x 125	11.25	Total ~ 1 m²
S.055.13.861	265 x 250 x 125	11.25	
S.055.13.862	265 x 250 x 125	3.5	
S.055.13.790 1	240 x 250 x 125	3	
S.055.13.790 2	120 x 250 x 125	4	
S.055.13.791 1	346 x 250 x 125	4	
S.055.13.791 2	346 x 250 x 125	3	



■ S.055.13.230



■ S.055.13.232



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.055.13.230	200 x 200/150 x 100	-	57.1
S.055.13.232	200 x 200/150 x 100	-	-



■ S.055.30.040



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.055.30.040	380 x 300 x 140	-	24



■ S.046.03.024



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.046.03.024	304.8 x 395 x 152.4	-	16.6



■ S.056.22.100



■ S.056.22.101



■ S.056.22.102



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.056.22.100	400 x 500 x 250 (255)	-	8/4.3
S.056.22.101	324 x 50 x 250 (255)	-	-
S.056.22.102	50 x 433 x 245	-	0/4.3





■ S.056.61.030



■ S.056.61.031




■ S.056.61.032



■ S.056.61.033




Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.056.61.030	Ø 400 x 300	-	-
S.056.61.031	400 x 468 x 300	-	-
S.056.61.032	400 x 290 x 300	-	-
S.056.61.033	400 x 716 x 300	-	-



■ S.054.64.020



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.054.64.020	412 x 333.3 x 250	-	12



■ S.054.00.001



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.054.00.001	Ø 200 x 170	-	-

■ S.054.50.020



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.054.50.020	150 x 200	-	-

■ S.555.10.060



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.555.10.060	8 x 50 x 25	-	-

■ S.535.10.027



■ S.535.10.028



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.535.10.027	5 x 100 x 25(30)	-	-
S.535.10.028	5 x 100 x 25(30)	-	-

■ S.694.00.360



Technical Data	Module (mm)	Area (dm ²)	Units/m ²
S.694.00.360	120 x 220 x 100	-	-

KERBSTONES



Whether it is to border municipal walkways and streets or as edging on private property: kerbstones and edging stones from RAMPF moulds provide an effective design for our public and private spaces. They reinforce, secure and set borders. We can offer you the optimum RAMPF moulds for this versatile selection of paving – your ideas determine the mould.

Decorative borders

KERBSTONES

■ S.515.90.020



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.515.90.020	500 x 200 x 50	10	-

■ S.990.31.040



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.990.31.040	320 x 400 x 140/120	-	-

■ S.515.00.280



■ S.515.01.300



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.515.00.280	300 x 1000 x 200	-	-
S.515.01.300	500 x 500 x 110	-	-



KERBSTONES

■ S.560.10.072



■ S.565.10.142



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.560.10.072	8 x 100(50) x 25(30)	-	-
S.565.10.142	8 x 100 x 25(30)	-	-

■ S.570.00.380



■ S.570.05.370



■ S.570.50.060



■ S.570.50.061



■ S.570.60.230




■ S.570.60.250



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.570.00.380	15 x 100(50) x 30(25)	-	-
S.570.05.370	15 x 100(50) x 22	-	-
S.570.50.060	15 x 100 x 22/30	-	-
S.570.50.061	15 x 100 x 30/22	-	-
S.570.60.230	15 x 780 x 30(25)	-	-
S.570.60.250	15 x 780 x 30(25)	-	-



■ S.570.42.260



■ S.570.47.012



Technical Data	Module (mm)	Area (dm²)	Units/m²
S.570.42.260	20 x 100(50) x 20	-	-
S.570.47.012	20 x 780 x 20	-	-



MASONRY BLOCKS



Walls made of concrete blocks often vary considerably from country to country. This is due to their aesthetic preferences, technical requirements or different regional safety regulations. We can offer you the optimum RAMPF moulds for this versatile selection of paving – your ideas determine the mould.

In vogue around the world

MASONRY BLOCKS

■ S.001.23.610



Technical Data	Module (mm)	Comments
S.001.23.610	400 x 100 x 200	open bottom
S.001.23.611	400 x 100 x 200	split block

■ S.001.23.611



■ S.001.23.940



Technical Data	Module (mm)	Comments
S.001.23.610	400 x 100 x 200	open bottom
S.001.23.611	400 x 100 x 200	split block

■ S.001.23.941



■ S.001.06.755



Technical Data	Module (mm)	Comments
S.001.06.755	400 x 150 x 200	open bottom
S.001.06.756	400 x 150 x 200	split block

■ S.001.06.756



■ S.001.26.040



Technical Data	Module (mm)	Comments
S.001.26.040	400 x 150 x 200	open bottom
S.001.26.041	400 x 150 x 200	split block

■ S.001.26.041



■ S.001.28.267



Technical Data	Module (mm)	Comments
S.001.23.610	400 x 200 x 200	open bottom
S.001.23.611	400 x 200 x 200	split block

■ S.001.28.268



■ S.001.38.075



Technical Data	Module (mm)	Comments
S.001.38.075	400 x 200 x 200	open bottom
S.001.38.076	400 x 200 x 200	split block

■ S.001.38.076



MASONRY BLOCKS

■ S.001.23.950



Technical Data	Module (mm)	Comments
S.001.23.950	400 x 100 x 200	open bottom
S.001.23.951	400 x 100 x 200	split block

■ S.001.23.951



■ S.031.03.510



Technical Data	Module (mm)	Comments
S.031.03.510	300 x 370 x 238	open bottom
S.031.03.511	300 x 370 x 238	split block

■ S.031.03.511



■ S.001.26.050




Technical Data	Module (mm)	Comments
S.001.26.050	400 x 150 x 200	open bottom
S.001.26.051	400 x 150 x 200	split block

■ S.001.26.051



■ S.024.01.200



Technical Data	Module (mm)	Comments
S.024.01.200	520 x 120 x 250	open bottom

■ S.001.38.085



Technical Data	Module (mm)	Comments
S.001.38.085	400 x 200 x 200	open bottom
S.001.38.086	400 x 200 x 200	split block

■ S.001.38.086





RAMPF FORMEN GmbH

Alzheimer Straße 1
89604 Allmendingen
T +49 7391 505-0
F +49 7391 505-142
@ info@rampf.de



ONE WORLD – ONE **MOULD**
RAMPF has sites in Germany, France, the Netherlands,
Poland, Hungary, Canada and the USA.